

## **Bariatric Surgery Review Questionnaire (Quiz)**

Patient Nam	ne: Date:
Please read	d each question carefully, and then write T (true) or F (false) on the line next to the statement.
1	Besides the different types of obesity surgery, there are other forms of weight loss programs such as prescription medications, diet and exercise and medially supervised diets that can help a person lose weight.
2	Diabetes, high blood pressure, back pain and similar ailments are guaranteed to get better after obesity surgery.
3	Behavior modification is important and will enhance the success of weight loss surgery.
4	Re-operation is sometimes necessary due to bleeding hernias, ulceration, bursting of stitches or staples, leakage, blockage of the intestines or stomach or other causes.
5	This operation for obesity will commit me to periodic physician follow-up visits for the rest of my life.
6	Weight loss is guaranteed after obesity surgery.
7	After obesity surgery, the patient is committed to taking vitamin and mineral supplements, as well as having periodic nutritional assessments/studies made for life. This may include periodic vitamin injections.
8	Regular exercise is not recommended after obesity surgery and does not affect the amount of weight that one ends up losing.
9	Weight loss through obesity surgery involves exercise, changes in the types of food consumed, liquids taken in, the number of meals eaten and how thoroughly the food is chewed.
10	Monthly group support meetings are a crucial part to the success of obesity surgery.
11	Patients never feel nauseated or vomit after obesity surgery.
12	Obesity surgery is major abdominal surgery and patients may feel quite uncomfortable during the recovery period.
13	One cannot gain the weight back after obesity surgery.
14	Obesity surgery is an easy operation and not a very risky one.
15	Complications are always infrequent and minor after obesity surgery, so it is important not to bother the doctor after hours.
16	In order to have obesity surgery, one must be a non-smoker and be committed to avoiding alcohol for at least one year after surgery.
Signature o	of test-taker: Date:
Physician S	Signature: Date: